



UNC CFAR Social and Behavioral Science Research Core
SABI Database

INSTRUMENT TITLE:

Abusive Behavior Inventory (ABI)

SOURCE ARTICLE:

Gerlock, A. A., Szarka, J. G., Cox, K., & Harel, O. (2016). Comparing intimately violent to non-violent veterans in treatment for posttraumatic stress disorder. *Journal of Family Violence*, 31(6), 667-678.

POPULATION:

Women, men, veterans, heterosexuals

RESPONSE OPTIONS:

5-point Likert-type scale

SCORING:

Yields individual scores between 30 and 150

SURVEY ITEMS:

30 items

TERMS OF USE:

Individuals may use this information for research or educational purposes only and may not use this information for commercial purposes. When using this instrument, please cite:

Gerlock, A. A., Szarka, J. G., Cox, K., & Harel, O. (2016). Comparing intimately violent to non-violent veterans in treatment for posttraumatic stress disorder. *Journal of Family Violence*, 31(6), 667-678.

When presenting results using any survey information you obtained from the SABI, please acknowledge the University of North Carolina at Chapel Hill Center for AIDS Research (CFAR), an NIH funded program P30 AI50410.



UNC CFAR Social and Behavioral Science Research Core SABI Database

RELIABILITY INFORMATION:

Cronbach's alpha:
subscales ranged from 0.70-0.92

VALIDITY INFORMATION:

Types of validity assessed:
Criterion-related validity
Convergent validity

TERMS OF USE:

Individuals may use this information for research or educational purposes only and may not use this information for commercial purposes. When using this instrument, please cite:

Gerlock, A. A., Szarka, J. G., Cox, K., & Harel, O. (2016). Comparing intimately violent to non-violent veterans in treatment for posttraumatic stress disorder. *Journal of Family Violence*, 31(6), 667-678.

When presenting results using any survey information you obtained from the SABI, please acknowledge the University of North Carolina at Chapel Hill Center for AIDS Research (CFAR), an NIH funded program P30 AI50410.