



UNC CFAR Social and Behavioral Science Research Core
SABI Database

INSTRUMENT TITLE: SHCS-AQ: Swiss HIV Cohort Study Adherence Questionnaire

SOURCE ARTICLE: Deschamps, A. E., De Geest, S., Vandamme, A. M., Bobbaers, H., Peetermans, W. E., & Wijngaerden, E. V. (2008). Diagnostic value of different adherence measures using electronic monitoring and virologic failure as reference standards. *AIDS patient care and STDs*, 22(9), 735-743.

POPULATION: HIV-positive

RESPONSE OPTIONS: Q1: 6-point scale from “never” to “every day”; Q2: Yes/No.

SCORING: Nonadherence: patients who had forgotten 1 or more dose during the last 4 weeks or had missed 2 consecutive doses.

SURVEY ITEMS:

1. How often did you miss a dose of your HIV medication?
2. Did you forget 2 doses one after the other?

RELIABILITY INFORMATION: No reliability information reported.

VALIDITY INFORMATION: Criterion-related validity assessed via comparison with Medication Event Monitoring System (MEMS).

TERMS OF USE:

Individuals may use this information for research or educational purposes only and may not use this information for commercial purposes. When using this instrument, please cite:

Deschamps, A. E., De Geest, S., Vandamme, A. M., Bobbaers, H., Peetermans, W. E., & Wijngaerden, E. V. (2008). Diagnostic value of different adherence measures using electronic monitoring and virologic failure as reference standards. *AIDS patient care and STDs*, 22(9), 735-743.

When presenting results using any survey information you obtained from the SABI, please acknowledge the University of North Carolina at Chapel Hill Center for AIDS Research (CFAR), an NIH funded program P30 AI50410.