

UNC CFAR Social and Behavioral Science Research Core SABI Database

INSTRUMENT TITLE: Severity of Violence Against Women Scales (SVAWS)

SOURCE ARTICLE: Marshall, L. L. (1992). Development of the severity of violence against women scales. *Journal of family violence*, 7(2), 103-121.

POPULATION: College women and community women

RESPONSE OPTIONS: Likert scale: (1) never, (2) once, (3) a few times, (4) many times

SCORING: N/A

SURVEY ITEMS: This instrument has already been formatted by the author. Please see attached.

RELIABILITY INFORMATION: Cronbach's α=

Study 1: .92 for symbolic violence to .96 for moderate threats, and mild, moderate, and serious violence.

Study 2: Despite severity scores composed of fewer ratings, alphas ranged from a low of .89 for symbolic violence to a high of .96 for mild and serious violence.

VALIDITY INFORMATION: Content validity was assessed. Factor structure was tested and results revealed a nine-factor solution.

TERMS OF USE:

Individuals may use this information for research or educational purposes <u>only</u> and may not use this information for commercial purposes. When using this instrument, please cite:

Marshall, L. L. (1992). Development of the severity of violence against women scales. Journal of family violence, 7(2), 103-121.

When presenting results using any survey information you obtained from the SABI, please acknowledge the University of North Carolina at Chapel Hill Center for AIDS Research (CFAR), an NIH funded program P30 AI50410.



UNC CFAR Social and Behavioral Science Research Core SABI Database

Symbolic violence

Hit or kicked a wall, door or furnature

Threw, smashed or broke an object

Drove dangerously with her in the car

Threw an object at her

Threats of mild violence

Shook a finger at her

Made threatening gestures or faces at her

Shook a fist at her

Acted like a bully toward her

Threats of moderate violence

Destroyed something belonging to her

Threatened to harm or damage things

she cares about

Threatened to destroy property

Threatened someone she cares about

Threats of serious violence

Threatened to hurt her

Threatened to kill himself

Threatened her with a club-like object

Threatened her with a knife or gun

Threatened to kill her

Threatened her with a weapon

Acted like he wanted to kill her

Mild violence

Held her down, pinning her in place

Pushed or shoved her

Shook or roughly handled her

Grabbed her suddenly or forcefully

Minor violence

Scratched her

Pulled her hair

Twisted her arm

Spanked her

Bit her

Moderate violence

Slapped her with the palm of his hand

Slapped her with the back of his hand

Slapped her around her face and head

TERMS OF USE:

Individuals may use this information for research or educational purposes <u>only</u> and may not use this information for commercial purposes. When using this instrument, please cite:

Marshall, L. L. (1992). Development of the severity of violence against women scales. Journal of family violence, 7(2), 103-121.

When presenting results using any survey information you obtained from the SABI, please acknowledge the University of North Carolina at Chapel Hill Center for AIDS Research (CFAR), an NIH funded program P30 AI50410.



UNC CFAR Social and Behavioral Science Research Core SABI Database

Serious violence

Kicked her

Hit her with an object

Stomped on her

Choked her

Punched her

Burned her with something

Used a club-like object on her

Beat her up

Used a knife or gun on her

Sexual violence

Demanded sex whether she wanted to or not

Made her have oral sex against her will

Made her have sexual intercourse against

her will

Physically forced her to have sex

Made her have anal sex against her will

Used an object on her in a sexual way

TERMS OF USE:

Individuals may use this information for research or educational purposes <u>only</u> and may not use this information for commercial purposes. When using this instrument, please cite:

Marshall, L. L. (1992). Development of the severity of violence against women scales. Journal of family violence, 7(2), 103-121.

When presenting results using any survey information you obtained from the SABI, please acknowledge the University of North Carolina at Chapel Hill Center for AIDS Research (CFAR), an NIH funded program P30 AI50410.